

Amendments to the Claims

Please amend the claims as follows:

1. (Currently Amended) A device for ~~the treatment of~~ neutralizing odors caused by vaginitis, which ~~comprising~~ consists of an absorbent substrate impregnated with a liquid composition ~~comprising~~ consisting of 4-6 percent by volume of an odor controlling agent, 0.4-0.6 percent by volume of an emulsifier, 0.15-0.25 percent by volume of a preservative, 0.15-0.25 percent by volume of an antiseptic, 0.04-0.06 percent by volume of a chelating agent, and 0.04-0.06 percent by volume of an acidifier.

2. (Previously Presented) The device of claim 1 wherein said solvent is selected from one or more of water, xylene, ethoxydiglycol, alcohol and propylene glycol; said odor controlling agent is selected from one or more of potassium alum, aluminum citrate, aluminum bromohydrate, saccharomyces ferment and dichlorophene; said emulsifier is selected from one or more of lecithin, fatty alcohols, alkoxyated carboxylic acids, alkoxyated amides, alkoxyated alcohols and poly(oxy-1,2-ethanediyl), alpha-(4-(1,1,3,3 tetramethylbutyl)phenyl)-omega-hydroxy-; said preservatives are selected from one or more of alpha hydroxy acids, alkyl parabens, imidazolidinyl urea, propyl benzoate and potassium sorbate; said antiseptic is selected from one or more of essential oils, alpha-bisabolol, aluminum diacetate, chlorothymol and cetylpyridinium chloride; said chelating agent is selected from one or more of trisodium phosphate, sodium oxalate, pentetic acid, bismuth citrate and disodium ethylene diamine tetraacetic acid; and said acidifiers are selected from one or more of citric acid, acetic acid, ascorbic acid, glycolic acid and lactic acid.

3. (Original) The device of claim 1 wherein said absorbent substrate is a fibrous wipe.

4. (Currently Amended) The device of claim 1 wherein said liquid composition consists ~~essentially~~ of an aqueous solution containing about 4-6 percent by volume saccharomyces ferment, 0.4-0.6 percent by volume poly(oxy-1,2-ethanediyl), alpha-(4-(1,1,3,3 tetramethylbutyl)phenyl)-omega-hydroxy-, 0.15-0.25 percent by volume potassium sorbate, 0.15-0.25 percent by volume cetylpyridinium chloride, 0.04-0.06 percent by volume disodium EDTA; and 0.04-0.06 percent by volume lactic acid.

5. (Currently Amended) A method for ~~the treatment of~~ neutralizing odors caused by vaginitis which ~~comprises~~ consists of applying to the effected area of the body a liquid composition ~~comprising~~ consisting of 4-6 percent by volume of an odor controlling agent, 0.4-0.6 percent by volume of an emulsifier, 0.15-0.25 percent by volume of a preservative, 0.15-0.25 percent by volume of an antiseptic, 0.04-0.06 percent by volume of a chelating agent and 0.04-0.06 percent by volume of an acidifier.

6. (Previously Presented) The method of claim 5 wherein said solvent is selected from one or more of water, xylene, ethoxydiglycol, alcohol and propylene glycol; said odor controlling agent is selected from one or more of potassium alum, aluminum citrate, aluminum bromohydrate, saccharomyces ferment and dichlorophene; said emulsifer is selected from one or more of lecithin, fatty alcohols, alkoxylated carboxylic

acids, alkoxyated amides, alkoxyated alcohols and poly(oxy-1,2-ethanediyl), alpha-(4-(1,1,3,3 tetramethylbutyl)phenyl)-omega-hydroxy-; said preservatives are selected from one or more of alpha hydroxy acids, alkyl parabens, imidazolidinyl urea, propyl benzoate and potassium sorbate; said antiseptic is selected from one or more of essential oils, alpha-bisabolol, aluminum diacetate, chlorothymol and cetylpyridinium chloride; said chelating agent is selected from one or more of trisodium phosphate, sodium oxalate, pentetic acid, bismuth citrate and disodium ethylene diamine tetraacetic acid; and said acidifiers are selected from one or more of citric acid, acetic acid, ascorbic acid, glycolic acid and lactic acid.

7. (Currently Amended) The method of claim 5 wherein said liquid composition consists ~~essentially~~ of an aqueous solution containing about 4-6 percent by volume saccharomyces ferment, 0.4-0.6 percent by volume poly(oxy-1,2-ethanediyl), alpha-(4-(1,1,3,3 tetramethylbutyl)phenyl)-omega-hydroxy-, 0.15-0.25 percent by volume potassium sorbate, 0.15-0.25 percent by volume cetylpyridinium chloride, 0.04-0.06 percent by volume disodium EDTA; and 0.04-0.06 percent by volume lactic acid.

8. (Original) The method of claim 5 wherein said liquid composition is impregnated on an absorbent substrate.

9. (Original) The method of claim 8 wherein said absorbent substrate is a fibrous wipe.

10. (Original) The method of claim 5 wherein said effected area to which the liquid composition is applied is the human female genitalia.